
Knothole News

www.greencountrywoodworkers.org



PRESIDENT'S MESSAGE



Greetings,

Please remember to bring your toys to me tomorrow (Dec 8th) from 10:00 AM until noon or from 3:00 PM until 6:00 PM. Mike Mitchell will pick them up from me and deliver them on Wednesday or Thursday.

Please call me if these times don't work for you, you need help with directions or if you need them to be picked up and delivered to me by someone,

we will make arrangements to be sure your gifts get donated.

My number is (918)492-8481.

My shop is at 11145 S 82nd East Place Unit L. Bixby OK.

Thanks so much for your generosity. Our work is always a big hit with the children and appreciated.

Bill Nay, President



Officers

President

Bill Nay 918-492-8481

Vice-President

Gregg Zumwalt 918-605-2761

Secretary

Bill Morgan 918-369-6435

Treasurer

Ray Hucek 918-618-2980

Club Committees

Continuing Board Member

Harold Blalock

Luncheon

Bill Morgan 918-369-6435

Membership Management

Vacant

Name Tags

Ray Hucek 918-618-2980

Newsletter

Mike Ruttgen 620-717-4520

Program Coordinator

Vacant

Toys / Show & Tell

Betty Zumwalt 918-249-4663

Toy Wheels & Axles

Jim Rouse 918-636-9286

Webmaster & Photographer

Arthur Barber 918-671-2437

Photos Submitted by Members

A fleet of Indy cars for Toys for Tots. And a close-up of the drivers.

(Vinton Knarr)



I don't paint my cars because it gives kids something they can paint or apply stickers.

(Jim Rouse)

Photos Submitted by Members (Continued)

Acrylic paint was used for colored parts and the rest coated with 2 layers of shellac. For a top coat, water based polycyclic was used on all vehicles.

(Earle Smith)





Looks like Woodpeckers can make a perfectly round hole as well as any other woodworker! Holes are about 1.5" diameter.

(Gregg Zumwalt)

Tools For Sale

Bosch Planer (Model 1594) 6.5 Amps, base 3 1/4 in wide, 2 carbide blades, guide fence, and carrying case. 1½ in hose fits dust port. My price \$40, current Amazon price \$136. It cuts and runs like new.



Porter-Cable 7.5 amp, deluxe Biscuit Jointer in excellent condition. Fence tilts from 0 to 135 in, one owner, manual, carrying case, and includes a box of 1000 biscuits (#0, #10 and #20) My price \$90. Woodcraft (\$229)



Seller is Earle Smith at ehs3943@gmail .com.

918-404-6442 (cell)

918-286-7343 (home)

Page 4

Tips and Tricks



Article by
Maxey, Randall.
"PVA Wood Glue."
Woodsmith
Issue 240
(Dec 2019):

Wood Glue

We all use wood glue in our projects and we take it for granted that it's going to hold joints together. Gaining a better understanding of how glue works can actually improve your results, however.

CHEMISTRY AT WORK. PVA (polyvinyl acetate) wood glue is the most common type of adhesive for the woodworking shop. It's the white or yellow wood glue you can find almost anywhere tools and supplies are sold.

But what is "PVA" and what does it mean for the woodworker? To answer this question, I contacted Bob Behnke, chemist and technical services manager at *Franklin International*, makers of *Tite*bond wood glues.

Bob explained that PVA wood glues are basically a mixture of microscopic polyvinyl acetate polymer particles and Chemical Bonds
Pores
Glue line
Highly Magnified

How PVA Wood Glue Works

The polyvinyl alchohol surrounding the resin particles chemically bonds to the cellulose in the wood. The PVA resin contributes to a strong glue bond.

polyvinyl alcohol that is suspended in water. Glue manufacturers use other additives and fine-tune the amount of water to adjust water resistance, open time, and other properties.

As an interesting side note, original PVA wood glues were yellow due to the type of resins used. Today's PVA glues are naturally white. The glue is then colored to give it the yellow color customers expect. Given the same chemistry and additives, there's no difference in the strength or open time.

HOW DOES IT BOND? PVA glues work through a chemical bond between the polyvinyl alcohol and the cellulose in the wood, as in the illustration above. This chemical reaction, in addition to the strength of the PVA polymer, is what creates a tight bond in properly fitting joints.

A FEW REQUIREMENTS. For PVA glues to do their job, there are a few basic requirements. The first is that the joint must be gap-free and tight-fitting. PVA glues are not designed to fill gaps. (For this, you would need to use epoxy.)

Tips and Tricks (Continued)

Another requirement that causes some confusion is that the surfaces to be joined must be as smooth as possible. The common practice of "roughing up the surface" of the wood with sandpaper to create a mechanical bond simply doesn't hold true. Sanding weakens the joint because it damages the wood fibers. An ideal surface is one that has been planed glass-smooth.

It goes without saying that the surfaces must also be clean and free of oils, finish, dirt, and dust. These interfere with the cellulose bond. Wiping with a solvent like acetone until the rag doesn't show residue is good practice before applying glue.

GLUE APPLICATION. Before breaking out the glue and using it on a project, make sure it's fresh (photo below). And give the bottle a good shake before opening it.

When it comes time to apply the glue, the ambient temperature and



Write the purchase date on the bottle for reference. PVA wood glues have a shelf life of about two years.



Surfaces to be glued should be clean and smooth. A thin layer of glue spread evenly across both surfaces yields a strong bond.

temperature of the wood can have an effect. Colder temperatures (less than 50°F) lengthen the open time and the time it takes for the glue to fully cure. (You should never allow wood glue to freeze.) Conversely, as the temperature heats up, the open time gets shorter.

To apply the glue, a thin, even film gives the best results (left photo above). Use a brush or your fingers to do this. For broad surfaces, Bob recommends a U-notch trowel with 3/32" notches. You can find these trowels where tile is sold.

CLAMPING PRESSURE. Once the glue is applied, you only have a few minutes to bring the joint together and apply the clamps. But here is where it gets interesting. You don't need as much clamping pressure as you think. The most important element is a clean, tight-fitting joint.

Bob explains that if the joint fits properly, you only need enough clamping pressure (about 5 psi) to keep the wood



Wait until the glue skins over and is partially dry before scraping off the excess. Avoid using damp rags.

from moving while the glue cures (about one hour). There's no need to use all of your strength when tightening the clamps. Just make sure the clamping pressure is evenly distributed.

Clamping moldings, miters, or endgrain joints while the glue dries often poses a challenge. For these cases, see the box below for a solution.

CLEAN-UP. After the clamps are on, don't touch anything for at least 10-20 minutes. Then you can go back and scrape off the partially dried glue (right photo above). Any residual glue can be sanded off after it completely dries.

Bob advises against wiping the glue with a damp rag. It forces glue into the wood that can show up in the finish. A damp rag also introduces excess moisture that can affect the joint strength.

Gluing up a project is something we often don't give much thought to. Understanding how PVA glue works can help you obtain stronger joinery.

"Skill without imagination is craftsmanship and gives us many useful objects such as wickerwork picnic baskets. Imagination without skill gives us modern art."

Tom Stoppard (1937-)

If you need anv power or hand tools, you might check out the photos on the

The auction is in 3 days in Broken Arrow Just

web.

search for Chupps Auction and click on upcoming auc-

tions. (Mike Ruttgen)



NICE

Don't Miss Out



Thursday, December 10, 2020

Location: 19140 E. 96th Street • Broken Arrow, OK

Directions: In Broken Arrow, OK from Creek Trnpk Eastbound take New Orleans St. exit, turn W(L) onto New Orleans St., go % mile to S 193rd E Ave/S 23rd St., turn N(R), go ½ mile to E 96th St., turn left, 2nd house on left. OR At Jnct Hwy 51 & E. 81st St. S (QT Stoplight) go W(R) ½ mile to S 193rd E Ave/S 23rd St., turn S(L), go 1-1/2 miles to E 96th St. S, turn right, 2nd house on left.

STARTS @ 9:18 A.M.

For More Info & Pictures: www.chuppsauction.com

TRUCKS, TRAILERS, GUNS, GRIZZLY LATHE & MILL, **GRIZZLY WOODWORKING TOOLS, SHOP & MIC TOOLS,** SPECIALTY TOOLS, WELDERS, PLASMA CUTTER, BLACKSMITH TOOLS and MUCH MORE!

ONLINE & ONSITE BIDDING: Lots 1 - 51 will be offered on simulcast @ 12:21 pm

- drive w/ Cummins Turbo Diesel. 11' flatbed w/ gooseneck hitch & winch, 25 Grizzly 24 Single Phase Heavy Duty 50 Retractable Air Hose & Reel odometer shows 245,199 miles, has new injectors
- 2 1981 Toyota Flatbed Truck w/dual wheels, Standard Trans, 5' Bed, Gas Engine, 87,000 miles VIN
- axle, partial steel floor
- w/ dropdown tailgate
- 5 Bumper pull Single Axle trailer w/ Miller Bobcat 250 Welder, 355 hr. w/ Welding Leads, Wilton Vise, Porter Cable Grinder, Pipe Vises, Toolboxes (Tools Not Included) 110 Plug Ins
- 6 Miller Millermatic 210 Wire Welder w/ bottle 7 Victor Cutting Torch Set on Dolly
- w/ Gauges 8 Craftsman 1-1/2 HP 17" Drill press w/
- laser model 124.34986 9 Delta Shopmaster Grinder on stand
- 10 Wilton Vise ~12" on stand
- 11 Miller Maxstar 161 STH Tig Arc
- Welder 12 Hypertherm Powermax 30 Air Plasma Cutting System
- 13 Miller Millermatic 211 Wire Welder
- 14 Vulcan Heavy Duty Welding Cabinet 41 Bosch Professional BT152 Laser on Wheels
- 15 Metal Welding Table 4'x4' on Wheels
- Central Machinery Combination Sander w/ 6" Belt & 9" disc
- 17 Southland Earth Auger 43cc 2-cycle 44 as engine, 26" handle
- 18 Stihl BŘ350 Backpack Blower
- 19 Cliff Caroll Forge & Tool Anvil ~70 lb.
- 20 Blacksmith leg Vise
- Metal Work Table 27"x52" w/ Vise Buffalo Electric Grinder on stand
- 23 100 lb. Anvil on stand

- Compressor-Like New
- Power Feed, 18" table
- 26 Grizzly Combo Lathe & Drill model G9729 Single Phase w/ 30"x6" Table & Vise-Mill Swing 22"
- JT4RN34R6B0023742 27 Cal-Hawk 16 speed 3/4HP Drill Press 3 Gooseneck 18' Flatbed Trailer, double 28 Grizzly 17" 2HP Band saw model GO513X2F w/ footbrake
- 4 Bumper pull flatbed Trailer, 12ftX68" 29 Grizzty Parallelogram Jointer, Spiral 60 Beretta Mod A391 12 GA Extreme 2 Electric hand tools-name brand Lots Air Nailers Cutter head 8"x76" model GO490X
 - 30 Grizzly Polar Bear Series 10" Hybrid Table Saw model GO715P Shop Fox 13-1/4" 3/4HP Oscillating
 - Drill Press Ser#18750 chuck size 5/8 32 Wood River Benchtop Mortiser
 - Grizzly Polar Bear Series 15" Planer w/ Spiral Cutter head GO453PX Shop Fox Dust Collector, 1HP
 - 35 Craftsman 12" Dual Bevel Sliding Compound Miter Saw w/ Laser
 - Track Cummins 1000 M/M Wood Lathe, 36
 - 39" Bed, 7" Diameter Head
 - 37 McCulloch Generator FG5700AK
 - 38 Briggs & Stratton Portable Genera-tor 5500 Watt
 - 39 Craftsman 35 Watt Generator 40 Kobalt 10" Table Saw on stand
 - Level model GLL150E
 - 42 Barber Chair, Porcelain, Theo A Kochs Co., Chicago-Vintage
 - Hitachi 10" Slide Compound Miter Saw w/ Laser
 - LP 2-Burner on Stand
 - 45 Stihl MS170 Chainsaw 46 Archer PSE Nova Compound Bow w/ arrows & Case
 - Wood Workbench 4'x4' w/ vices and Cutting Torches, Hoses, Gauges
 - Stihl HT101 Limb Saw w/ Telescoping Handle

- 1 1997 Dodge Ram 3500 Truck 4-wheel 24 Ingersoll Rand 80 Gallon Upright Air 49 Central Machinery Compact Bender Floor
 - Mill/Drill model GO755 w/ stand and 51 Craftsman Router w/ Bosch Router



- w/ original box, owners manual and Welding Supplies-tips, ends, 5 chokes
- H&R 733 32 S&W w/ soft case 62 Remington 1911R1 45ACP w/ 2
- mags, original box & manual 63 Ruger Vaquero 45LC w/ original case & manual
- 64 Ruger MKIII Target 22LR w/ 1 mag, original case & manual
- 65 Ruger Super Black Hawk 44 Mag w/ original case, 6-1/2" barrel, extra cylinder, locking hard case and manual
- N. American Arms Pocket Pistol 22LR Roll-Around Tool Cart 67 Marlin 881 22LR, Bolt Action
- 68 Ruger Super Black Hawk 45LC, w/
- engraved cylinder, original case Ruger Super Black Hawk 357 Mag, 5" barrel, original box
- 70 Ruger MKIII 22LR, 2 mags, original box, owners manual
- Tri-Star Arms T120 9MM, w/ generic

 Creeper Set soft case
- 73 RugerCP w/ CT 9MM Gwn 1, 2
- Nearly complete set of Ruger Pistols Ammo-22, 30.30, 45, 410, 357, 44
- mag, Colt 45, 12 gauge-Lots
- Acetylene & Oxygen Bottles-Lots
- Lots of Welding, Bar, Pipe, Hand,

- Pipe Stands Floor Jacks
- Dewalt Cordless Tools
- LP Tanks-various sizes
- Levels & Squares
- Face Shields, Welding Helmets Ladders-Werner, Step Ladders,
- Fold-out Ladders Dewalt Band Saw
- Spoolmate 150 spoolgun Millermatic 211-200, 215
- hammers, wire, rods
- LP Burner Vises-various sizes-lots
- Blacksmith Tools-lots
- Hammers for every occasion Wrenches, Screwdrivers, Channel Locks, Sockets
- Jack Stands
- Air Tools for Everything
- Bearing Separator Set
- Impact Socket Set
- Dewalt Radio
- Swivel Sockets
- Storage Tool Boxes-Lots
- Specialty Tools Large Wrenches
- Ball Joint Super Set
- Cherry Picker Car Ramos
- Roller Tables
- 72 H&R 929 22LR, no sights, w/ holster Nails, Screws, Staples-Lots Dewalt Miter Saw Stand
 - Mags, soft case, I/P Holster w/ laser Wood Slabs, Misc. Woodworking wood Shop Manuals
 - Drill bits-wood and metal Mic Tools-Lots
 - Machinist Tools in Wood Box
 - Kobalt Tile Saw Hand Tools, Woodworking Tools-Lots
 Several Cattle Panels
 - Table Top Buffer

- Log Chains, Boomers, Come-Alongs - Lots
- Delta Bench grinder
- House Jack
- Battery Chargers-various sizes
- Small Portable Air Compressor
- Small Portable Air Tanks
- Refrigerant Gauges
- Northern Industrial Manual Power Pressure Punch
- 10-Drawer Organizer Bins (x2)
- Bosch Router & Guide
- Milwaukee Impact Wrench
- Dent Puller
- Wood Chisels
- Cordless Dewalt Tools
- Shop Vacs Saw Blades-Some Name Brand -Lots
- Hand Saws-Lots
- Air Bottle Jack Rock Bar, Shovels, Rakes,
- Post Hole Digger
- Rockwell Jaw Horse
- Workbench Stands-Lots
- 18" Magnet on Wheels
- Scaffolding & Planks
- Metal Square Tubing-Various Sizes & Lengths
- Channel Iron-Diff. Sizes & Lengths
- Metal Post Drivers
- Square Wood Posts-6' Ryobi Metal Cutting Saw on Stand
 Cosen Horizontal Saw
- T-Posts
- Misc. Gas Cans
- Welding Rods, Punch Sets-Numbers & Letters - Lots
- 4' Concrete Float Yard Wagon w/ Sprayer
- I-Beams, 17'x10" (x2)
- Metal Trusses Tommy Lift gate



OWNER: Bonnie Gorrell

GREEN COUNTRY WOOD-WORKERS

The Green Country Woodworkers are made up of men and women who are interested in woodworking as a hobby.

.....

The monthly meetings are conducted as educational forums for the benefit of our members and guests. We have idea exchanges, problem solving sessions, safety tips and tool tips plus a main speaker on topics related to woodworking in all its phases.

.....

The club sponsors community service projects such as making Toys for Tots at Christmas and supporting Beads of Courage by turning bowls and making boxes for children undergoing cancer treatment at Children Hospital at Saint Francis. The containers hold the children's beads. The beads represent their treatment progress.

OBJECTIVES

- To provide the Knothole News, a monthly newsletter
- To promote woodworking and participate in woodworking and craft shows to inform the public of club activities
- To make wooden toys which are donated to selected organizations throughout the year
- Monthly Show & Tell; all items entered in the show and tell will be presented to the membership by the builder

Membership applications are available at each meeting from the club secretary or treasurer. At this time, no membership fee is charged.

MEETINGS

The club meets on the second Thursday of each month at 6:30PM, typically at a designated member's shop. The upcoming location and topic are published in advance in the Knothole News.

We also have a monthly dinner/social on the 4th Thursday of the month at 6:00PM; the location is determined during the regular monthly meeting.

WWW.GREENCOUNTRYWOODWORKERS.ORG

Please be sure to check out our new web site for more information about the organization, past Knothole News publications, pictures, resources, etc.

KNOTHOLE NEWS

c/o Mike Ruttgen rruttgen@att.net (918) 200-9332, home

